

1.

2022

—2023

2020

2.

2022

CSSS-2022-022

GB/T 1.1—2020

1

2022 9 -10

2022 9

2022 10

2022 11 -12

2022 11

2022 12

2022 12 16

2023 1-2

WS/T 441-2013

130g/L

120g/L

2021

298

16.4%

37.1% 34%

1

15-35%

5-15%

2

B

B1 B2 B6 B12

C

3

pH

1.

WHO

SET2020

2.

3.

7

PubMed Embase Ebsco CNKI

1

1

1

A. 1 A. 2

WS/T 341

WS/T 342

WS_T

404. 9-2018

9

C-

2-

WS/T 600-2018

WS/T 465-2015

A. 3

WS/T 225

WS/T 348

WS/T 400

WS/T 804

- 1 Kassebaum, N. J. ; GBD 2013 Anemia Collaborators. The Global Burden of Anemia. *Hematol. Clin. N. Am.* 2016 , 30, 247– 308.
- 2 Capanema FD, Lamounier JA, Ribeiro JGL et al. Anemia and nutritional aspects in adolescent athletes: a cross-sectional study in a reference sport organization. *Rev Paul Pediatr.* 2021 Oct 4;40:e2020350.
- 3 Ponorac N, Popovic M, Karaba-Jakovljevic D, Bajic Z, Scanlan A, Stojanovic E, Radovanovic D. 2020. Professional female athletes are at a heightened risk of iron-deficient erythropoiesis compared with nonathletes. *International Journal of Sport Nutrition and Exercise Metabolism* 30(1): 48– 53 DOI 10.1123/ijsnem.2019-0193.
- 4 Nabhan D, Bielko S, Sinex JA, Surhoff K, Moreau WJ, Schumacher YO, Bahr R, Chapman RF. 2020. Serum ferritin distribution in elite athletes. *Journal of Science and Medicine in Sport* 23(6):554– 558 DOI 10.1016/j.jsams.2019.12.027.
- 5 Parks RB, Hetzel SJ, Brooks MA. 2017. Iron deficiency and anemia among collegiate athletes: a retrospective chart review. *Medicine & Science in Sports & Exercise* 49(8):1711– 1715
- 6 Daniela Nicotra , Rakefet Arieli , Noam Redlich et al. [Iron Deficiency and Anemia in Male and Female Adolescent Athletes Who Engage in Ball Games. J Clin Med . 2023 Jan 27;12\(3\):970. doi: 10.3390/jcm12030970](#)
- 7 WHO. Nutritional Anemias. Technical Report Series No. 503. Geneva, 29
- 8 WS_T 441-2013.
- 9 Goodrich JA, Frisco DJ, Kim S, et al. The importance of lean mass and iron deficiency when comparing hemoglobin mass in male and female athletic groups. *J Appl Physiol* (1985). 2020 Oct 1;129(4):855-863.
- 10 McKie AT, Marciani P, Rolfs A, et al. A novel duodenal iron-regulated transporter, IREG1, implicated in the basolateral transfer of iron to the circulation. *Mol Cell.* 2000, 5(2):299-309.
- 11 Ganz T. Molecular Control of Iron Transport. *J Am Soc Nephrol*, 2007, 18(2): 394 – 400.
- 12 Sangkhae V, Nemeth E. Regulation of the Iron Homeostatic Hormone Hepcidin. *Adv Nutr*, 2017, 8(1):126-136.
- 13 Collins JF, wesslin-Resnick M, Knutson MD. Hepcidin regulation of iron transport. *J Nutr*, 2008, 138(11):2284-2288.
- 14 Song G, Jiang Q, Xu T, et al. A convenient luminescence assay of ferroportin internalization to study its interaction with hepcidin. *FEBS J*, 280(8), 1773– 1781.
- 15 Smith JA, Kolbich-Braddon M, Gillam I, et al. Changes in the susceptibility of red blood cells to oxidative and osmotic stress following submaximal exercise. *Med Sci Sports Exerc.* 2019, 51(10):2147-2155.
- 16 Liu YQ, Chang YZ, Zhao B, et al. Does hepatic hepcidin play an important role in exercise-associated anemia in rats? *Int J Sport Nutr Exerc Metab*, 2011, 21(1): 19-26.

- 17 Alaunyte I, Stojceska V, Plunkett A. Iron and the female athlete: A review of dietary treatment methods for improving iron status and exercise performance. *J Int Soc Sports Nutr.* 2015, 12: 38.
- 18 4 , 2015
- 19 Dupont C. [Prevalence of iron deficiency]. *Arch Pediatr.* 2017 May; 24(5S): 5S45-5S48.
- 20 Damodar S, Raghunath ST, Murthy S, et al. Low hemoglobin density as a measure of iron status. *Indian J Hematol Blood Transfus.* 2013 Jun; 29(2): 75-6.
- 21 Yasuda H, Hatano T, Honda T, et al. Vitamin B6 Deficiency Anemia Attributed to Levodopa/Carbidopa Intestinal Gel Therapy for Parkinson's Disease: A Diagnostic Pitfall for Myelodysplastic Syndrome with Ring Sideroblasts. *Intern Med.* 2022 Dec 15; 61(24): 3719-3722.
- 22 Ratajczak AE, Szymczak-Tomczak A, Rychter AM, et al. Does Folic Acid Protect Patients with Inflammatory Bowel Disease from Complications? *Nutrients.* 2021 Nov 12; 13(11): 4036.
- 23 Hisano M, Suzuki R, Sago H, et al. Vitamin B6 deficiency and anemia in pregnancy. *Eur J Clin Nutr.* 2010 Feb; 64(2): 221-223.
- 25 WHO guideline on use of ferritin concentrations to assess iron status in individuals and populations [Internet] Geneva: World Health Organization, 2020.
- 27 Ferguson BJ, Skikne BS, Simpson KM, et al. Serum transferrin receptor distinguishes the anemia of chronic diseases from iron deficiency anemia. *J Lab Clin Med,* 1992, 119(4): 385– 390.
- 28 Petterson T, Kivivuori SM, Siimes MA. Is serum transferrin receptor useful for detecting iron-deficiency in anaemic patients with chronic inflammatory diseases. *Br J Rheumatol,* 1994, 33(8): 740– 744.
- 29 Marković M, Majkić-Singh N, Ignjatović S, et al. Reticulocyte haemoglobin content vs. soluble transferrin receptor and ferritin index in iron deficiency anaemia accompanied with inflammation. *Int J Lab Hematol,* 2007, 29(5): 341– 346.
- 30 Magazanik A, Weinstein Y, Dlin RA, et al. Iron deficiency caused by 7 weeks of intensive physical exercise. *Eur J Appl Physiol Occup Physiol,* 1988, 57(2): 198-202.
- 31 Merkel D, Huerta M, Grotto I, et al. Incidence of anemia and iron deficiency in strenuously trained adolescents: results of a longitudinal follow-up study. *J Adolescent Health,* 2009, 45(3): 286– 291.