

1.

2023

6

2.

22-27

3.

2022

CSSS-2022-022

2022 9 -10

2022 9

2022 10

2022 11 -12

2022 11

2022 12

2022 12 16

2023 1-4

1987

1.

SET2020

2.

3.

GB/T 1.1-2020

1

1

40

1

A

B



[3]. Parcell A C, Sawyer R D, Tricoli V A, et al. Minimum rest period for strength recovery during a common isokinetic testing protocol[J]. *Medicine and science in sports and exercise*, 2002, 34(6): 1018-1022.

Stratford P W, Bruulsema A, Maxwell B, et al. The effect of inter-trial rest interval on the assessment of isokinetic thigh muscle torque[J]. *Journal of Orthopaedic & Sports Physical Therapy*, 1990, 11(8): 362-366.

Parcell A C, Sawyer R D, Tricoli V A, et al. Minimum rest period for strength recovery during a common isokinetic testing protocol[J]. *Medicine and science in sports and exercise*, 2002, 34(6): 1018-1022.

Wilhite M R, Cohen E R, Wilhite S C. Reliability of concentric and eccentric measurements of quadriceps performance using the KIN-COM dynamometer: the effect of testing order for three different speeds[J]. *Journal of Orthopaedic & Sports Physical Therapy*, 1992, 15(4): 175-182.

[M].

2004.

AT 1661-2019